WARNING SIGNS - Boards and Distances

Time Control –
Boards & Distances (Symbol Approx. 700mm Diameter)



Special Stage Start –
Boards & Distances (Symbol Approx. 700mm Diameter)



Special Stage Finish –
Boards & Distances (Symbol Approx. 700mm Diameter)



Radio Points -
Boards & Distances (Approx. 700mm ϕ)



Medical Services -
Boards & Distances (Approx. 700mm ϕ)



WARNING SIGNS - Boards and Distances

Hazards -
Boards & Distances (Symbol Approx. 700mm Diameter)

Caution Boards (Approx. 700mm)



Think Board

Regroup -
Boards & Distances (Symbol Approx. 700mm Diameter)



Service In -
Boards & Distances (Symbol Approx. 700mm Diameter)



Service Out -
Boards & Distances (Symbol Approx. 700mm Diameter)



WARNING SIGNS - Boards and Distances

Passage Control - Boards & Distances (Symbol Approx. 700mm Diameter)



Stage Stopped Board

Stage GO Board

(Symbol 600mm Diameter)

'Go Board' are to be printed on their own single sided board and not on the back of a stage stop or other board.

Chevrons – Boards, Dimensions & Colour



Countdown Boards – Boards, Dimensions & Colour

Colour – Blue (Pantone 300)

Chicanes (Both Sides of the Road)



Colour – Blue (Pantone 300)

Special Stage Finish (Both Sides of the Road)



Colour – Red (Pantone 186)

Specification for the construction of tyre bales
Articulated tyres to be used (R22.5 rim size)
Tyre bale to be no less that 1mtr high

2 straps to be placed between the top tyre and tyre 2 (as per pictures) Straps can be of 10mm rope or heavier doubled to make the loop

at a minimum M12 (8.8 tensile strength) Galvanised bolts and lock nuts to be used to clamp together with a Galvanised washer of no less than 50mm diameter x 4mm thick top and bottom.

At a minimum the tyre bale to be bolted in 3 places at 120 degrees apart as per the red marks in picture below.